PART I. SUBJECT INDEX

Acclimatization of Lebistes reticulatus, Carie. Abstract of paper in Bulletin de la Société Centrale d'Aquiculture et de Pêche, 395-396.

Acriflavine, effective prophylactic for bacterial disease of trout eggs and fry, Atkinson, N. J., 152-155.

Albatross II, experimenting with "savings" gear in trawling, Harrington, William C., 60.

Albert, W. E.: In Memoriam, 40.

Algae as affected by sunlight, Olson, Theodore A., 278-290.

American Fisheries Society, constitution and by-laws as amended to date, 400-402.

members, 403-420.

Anabiosis experiments, Borodin, N. A., 340-341.

Artificial food: see Food for Fish, artificial rations. Bacillus salmonicida: see Furunculosis.

Bacterial content of food reduced 50% by freezing, Birdseye, Clarence, 83. disease of trout eggs and fry, acriflavine as prophylactic, Atkinson, N. J., 152-158.

Baldwin's Mills, (Quebec) hatchery, cultural activities at, Taylor, B. W., 224-227

Bass, black, protection by legislation, Miller, Raymond, 363-365.

economic culture of in trout wintering ponds, Hayford, Charles O., 167-170. feeding (see also digestion), experiments in Ohio rearing ponds, Langlois, T. H., 157. largemouth, temperature as affecting food consumption, Markus, Henry

C., 202-210.

smallmouth black, tagged in Lake Ontario, Snyder, J. P., 380-381. spotted black propagation experiments, Howland, Joe W., 185-188. striped, weighing 15 lbs. in Chesapeake, Earle, Swepson, 47.

Beef liver vs. fish as food for lobster fry, Cobb, Eben W., 86. Behavior of trout during spawning, Greeley, John R., 242-245.

Blue-crab, biology studied at Chesapeake Biological Laboratory, Truitt, R. V., 53-54.

Bluegill surviving prolonged exposure to high concentrations of dissolved oxygen, Wiebe, A. H., and McGavock, Alfred M., 267-270.

Breeding habits of black-headed minnow, Wynne-Edwards, V. C., 382-383. of trout, Greeley, John R., 239-248.

British Columbia (see also Cultus Lake, Elk River, Smith Falls Hatchery), propagation of trout in the Kamloops district, Mottley, C. McC., 144-151.

salmon tagging programs, Pritchard, A. L., 88-93.

Brook trout: see Trout, brook.

Bullnets abolished in Lake Erie Cisco rehabilitation, Van Oosten, John, 100. California fisheries statistics, Scofield, W. L., 94-99.

Canada, aim of fish culture research in, Clemens, W. A., 261-266.

Candee, C. N., In Memoriam, 40.

Chesapeake Bay, description, early records and fisheries, Earle, Swepson, 43-48; Armstrong, Richard, 48-49.

Chesapeake Biological Laboratory, description and aims, Truitt, R. V., 54-55. founded in 1931, Earle, Swepson, 45.

Chum salmon (Oncorhynchus Keta), migration records, Pritchard, A. L., 92.
Cisco, depth distribution in New York Lakes, Odell, Theodore T., 331-334.
measures for rehabilitation, Van Oosten, John, 100-101.

Cladocera anatomy, taxonomy, method of reproduction, food and propaga-tion, Berg, K. Abstract of paper in Bulletin Francais de Piscicul-

Clean streams campaign, developments in, Locke, S. B., 355-361.

Cleaner for troughs, operating by water suction, Cook, A. B., 179-180.

Cod destroyed by otter trawling in New England, Herrington, William C., 59. Coho salmon (Oncorhynchus Kisutch), migration records, Pritchard, A. L., 91-92.

Cold resistance: see Anabiosis.

Commercial fishing, report division of, Scofield, N. B., 32-33.

Committee reports, 20-26.

Conowingo Lake, stocking, Earle, Swepson, 48. Conservation chart for pike, Rawson, D. S., 330. commission, created in 1916, Earle, Swepson, 44.

Copper in water found to be a requirement for oyster larvae attaching, Prytherch, Herbert F., 74.

sulphate impractical for starfish control, Kenney, Raymond J., 76.

Coregonidae in Russian waters, biology, abstract of papers in Bulletin of the Leningrad Institute of Ichthyology, 394-395. Crab (Callinectes sapidus), life history; sanctuary recommended, Truitt, R.

V., 53-54.

life history in Chesapeake, Earle, Swepson, 46.

Crappie surviving prolonged exposure to high concentrations of dissolved oxygen, Wiebe, A. H., and McGavock, Alfred M., 267-270.

Crustacea, plankton, seasonal variation in numbers, Ricker, W. E., 292-303. Cultus Lake Hatchery, furunculosis investigation, Duff, D. C. B., 253-255. plankton studied with aid of nets, Ricker, W. E., 292-303.

Daphnia methods of cutlure, Hayford, Charles O., 167-170. magna for inoculation of Ohio rearing ponds, Langlois, T. H., 157. Deep water trap net, description, and its relation to the Great Lakes Fisheries, Westerman, Fred A., 64-71.

Digestion in bass at various temperatures, Markus, Henry C., 202-210. Diplobacillus liquefasciens piscium, acriflavine as prophylactic, Atkinson, N. J., 152-155.

Diseases, furunculosis, pathological features, Duff, D. C. B., 250-251. Distribution in depth of fish in New York Lakes, Odell, Theodore T., 331-334.

Dytiscid beetles attacking bass fry, described, Langlois, T. H., 165.

Eel-fry, new installation for catching and distributing, Lubbert. Abstract of paper in Allgemeine Fischerei Zeitung, 392.

Eggs, fertilization percentage, Bajkov, A. D., 314-315. from domestic versus wild stock (disc.), 143.

hatching of salmon, Belding, David L., Pender, Mildred J., and Rodd, James A., 212-223.

of grayling, best methods of hatching, Lord, Russell F., 173-174.

of lobsters: see Lobster rearing.

of oysters, formation, description and ejection, Prytherch, Herbert F.,

of trout, bacterial disease, and acriflavine as prophylaxis, Atkinson, N. J., 152-155.

of trout, hatch from wild trout superior to that from brood stock. Taylor. B. W., 225.

of trout, predators of, Greeley, John R., 239-248.

Elk River, furunculosis investigation, Duff, D. C. B., 251-253.

Eel measurements. Abstract of paper in Bulletin de la Société Centrale d'Aquiculture et de Pêche, 395.

Feeder, automatic, Cook, A. B., Jr., 180.

Feeding experiments in Ohio rearing ponds, Langlois, T. H., 156-166.

Fertilization, artificial methods, Vouga, M. Abstract of paper in Bulletin Français de Pisciculture, 392-394.

of brook trout, Hazzard, A. S., 345-346. of eggs, percentage, Bajkov, A. D., 314-315. of ponds: see **Pond** fertilization.

Fins, nipped, under-feeding and over-crowding probable cause, Surber, Eugene (disc.), 139.

Fish culture as affected by temperature, M'Gonigle, R. H., 119-125.

care of fish in natural bodies of water; artificial propagation; production in relation to catch, research in Canada, Clemens, W. A., 261-266. experiments at York Pond, Dinsmore, A. H., 141-143.

mechanical devices as used in Michigan, Cook, A. B., Jr., 179-184.

progress in, Culler, C. F., 114-118.

Fish food damaged by otter trawling discussed, Herrington, William C., 58. stomach analyses of rainbow trout from Green Lake (tabulated), 199.

Fishing for sport in Chesapeake waters, weekly estimate, Earle, Swepson, 47. Fishways, suggested method of passing fish over high dams, Harrison, C. W., 386-388.

Flood control reservoirs and ponds in Europe, Field, George W., 372-375. Food for fish, animal meals superior to vegetable; optimum mixtures of dry and fresh food for trout, Davis, H. S., 189-192.

artificial rations, for sockeye salmon, Foerster, R. E., 228-238.

cost reduced by selection of rapid growing fish, Hayford, Charles O., 126. Daphnia magna for inoculation of Ohio rearing ponds, Langlois, T. H., 157. golden shiners recommended for bass, Culler, C. F., 115. mechanical devices for mixing (disc.), 196.

milk, dried sweet and buttermilk and rennet in trout raising (disc.), 194. snow bugs fed exclusively to brook trout and rainbow trout produced high coloring of the fish, Surber, Eugene, 139-140. types of food for spotted black bass and time of feeding, Howland, Joe

W., 186-188. Food for lobster fry, ground beef liver recommended, Cobb, Eben W., 86. Freshwater fish, chemical composition and relative amount of edible matter and offal of, Metzner and Rohler. Abstract of paper in Allgemeine Fischerei Zeitung, 392.

plankton: see Plankton, freshwater.

Frozen fish: see Anabiosis.

Furunculosis, biochemistry, Duff, D. C. B., 249-255.

eradication versus developing fish immunity, Davis, 130-131. successful eradication (disc.), Culler, C. F., 116-117.

Gammarus limnaeus found as plankton in the thermocline region, Atkinson, N. J., 198.

Gaspe (Quebec) Salmon Hatchery, cultural activities, Taylor, B. W., 224-227. Gill net in proximity of trap nets, effect on catches, Westerman, Fred A., 65. Golden shiners, adaptability to impounded waters, Moore, Emmeline, 290-291. as food for bass, Culler, C. F., 115.

predatory tendencies (disc.), 118.

surviving prolonged exposure to high concentrations of dissolved oxygen, Wiebe, A. H., and McGavock, Alfred M., 267-270.

Grader, adjustable, Cook, A. B., 180-181.

Grayling, Michigan, Montana, and Arctic, differences, Hubbs, Carl L. (disc.),

rearing, mixed brook and spring water best, Lord, Russell F., 172.

Great Lakes fisheries, restriction enjoined for deep water pound and trap nets, Westerman, Fred A., 64-71.

Groundfish fishery in North Atlantic, Herrington, William C., 57-62.

Growth of brook trout, relation of weight to length, Hazzard, A. S., 346-350. of fish, method of recording, Belding, David L., 256-257.

of pike, (Esox lucius), Rawson, D. S., 327.

of rainbow trout, in hitherto barren lakes, Atkinson, N. J., 200.

of trout, more rapid in domesticated than when bred directly from wild stock, Dinsmore, A. H., 141.

Hackettstown State Fish Hatchery, economic bass culture in trout wintering ponds, Hayford, Charles O., 167-170.

Haddock, one to three years' old destroyed by otter trawling, Herrington, William C., 59.

Heredity in salmon eggs, length of incubation period as affected by, Belding, David L., Pender, Mildred J., and Rodd, James A., 213.

Honga River oyster seed bed, Truitt, R. V., 53.

Hurlbut, H. F.: In Memoriam, 40.

Impounded waters: see Lakes, artificial.

In Memoriam, 40.

Incubation, period in salmon eggs influenced by heredity, Belding, David L., Pender, Mildred J., and Rodd, James A., 213.

Italian fisheries and fish culture. 3 volumes. Book publ. by Italian Ministry of Agriculture, Abstract, 396-397.

Kerosene as control of predaceous insects, Langlois, T. H., 164-165.

Lake Erie, deep water trap net catches, extent of, Van Oosten (disc.), 71. fisheries legislation and experiments on mesh of trapnets, Van Oosten, John, 100-107.

Lake Huron and Lake Michigan, deep water trap net in relation to, Westerman, Fred A., 64-71.

Lake Ontario, salmon in, Follett, Richard, 366-368. smallmouth black bass tagged in, Snyder, J. P., 380-381. Lakes, artificial, in Ohio, survey of newly formed, Wickliff, E. L., 275-277. barren, results from stocking with rainbow trout, Atkinson, N. J., 197-201. fish population and productivity of, Bajkov, A. D., 307-316. Librarian's report, Cobb, Eben W. (acting librarian), 19-20.

Light: see Sunlight.

Line-trawl versus otter-trawl, Herrington, William C., 57.

Ling (L. maculosa) depth distribution in New York Lakes, Odell, Theodore T., 332-334.

Liver of beef, raw, importance as food for sockeye, Foerster, R. E., 234-237. Lobster rearing and equipment, Cobb, Eben W., 85.

Louisiana hydrographic studies, Gowanloch, James Nelson, 336-339.

Research Bureau, investigations of the shrimp statistics, Gowanloch, James N., 111.

Magog (Quebec) fish cultural activities, Taylor, B. W., 224-227.

Manitoba native game fish, Bajkov, Alexander, 377-379. Maryland, scientific fisheries work, Truitt, R. V., 50-56.

Maryland and Virginia cooperating for crab and fish protection, Earle, Swepson, 45-48.

Massachusetts shellfish grounds menaced by starfish, Kenney, Raymond J., 76-79.

Mating of crabs described, Truitt, R. V., 54.

Mechanical devices for mixing food, Birdseye, 196.

used in Michigan fish culture, Cook, A. B., Jr., 179-184.

Members American Fisheries Society, 403-420.

attending sixty-second Annual Meeting, 13-15.

Metabolism, in bass, at varying temperatures, Markus, Henry C., 202-210. Michigan (see also Lake Michigan), mechanical devices in fish culture, Cook, A. B,. Jr., 179-184.

studies on egg predators in streams, Greeley, John R., 239-248.

Migration of salmon, in ocean feeding grounds of the Atlantic, Belding, David L., and Hyde, Doris M., 304-306.
of salmon, tagging records, Pritchard, A. L., 88-93.

Minnows, adaptability to impounded waters, Moore, Emmeline, 290-291. blunt-nosed, surviving prolonged exposure to high concentrations of dissolved oxygen, Wiebe, A. H., and McGavock, Alfred M., 267-270. (Pimephales promelas Raf.), breeding habits, Wynne-Edwards, B. C., 382-383.

Mops impractical for starfish control, Kenney, Raymond J., 77-78.

Muddlers (Cottus cognatus and C. bairdii) as egg eaters, Greeley, John R., 246.

Nesting of trout, described, Greeley, John R., 242-244.

Nets (see also Bulinet, Deep water trap net, Gill net, Pound net), of very fine bolting silk for oyster larvae, Prytherch, Herbert F., 73. for fresh-water plankton investigations, Ricker, W. E., 292-303.

New Jersey State Fish Hatchery, trout raising in, Hayford, Charles O.,

126-132. Nomenclature, resolution for the preparation and publication of a list of common names corresponding with accepted scientific names, 36.

Nominations of officers, 38-39.

North Carolina experiments show oyster spawning to take place in August, Prytherch, Herbert F., 75.

Notonecta undulata Say, killed with kerosene, Langlois, T. H., 164-165.

Ohio newly impounded waters, Wickliff, E. L., 275-277.

Newton hatchery experiments, 1932, Howland, Joe W., 185-188. stocking policy, practical value of scientific data concerning, Trautman, Milton B., 258-260.

Oxygen content of waters rich in aquatic plant growth, effect of sunlight on, Olson, Theodore A., 278-290. lack of, rather than high temperature, cause of death of salmon, Smith, M. W., 320.

requirement of trout and carp, relative increase with increased temperature, M'Gonigle, R. H., 123.

survival of certain fish on prolonged exposure to high concentrations of dissolved, Wiebe, A. H., and McGavock, Alfred M., 267-274.

Oyster farm on Solomons Island, Earle, Swepson, 45. farming, scientific methods, Prytherch, Herbert F., 72-75.

Oysters, in the Chesapeake, Truitt, R. V., 52-53.

Ostrea gigas, breeding habits and hybridization with O. virginica, Truit R. V., 53.

Officers American Fisheries Society, 3.

Otter-trawl fleet, history, Herrington, William C., 57-62.

Paul Lake (British Columbia), biogenetic capacity and trout propagation, Mottley, C. McC., 144-155.

Physiological processes in trout as affected by water temperature, M'Gonigle, R. H., 119-125.

Pike (Esox lucius) spawning in Waskesiu Lake, Saskatchewan, Rawson, D. S., 323-330.

Pink salmon (Oncorhynchus Gorbuscha), migration records, Pritchard, A. L., 92.

Plankton, as affected by sunlight, Olson, Theodore A., 278-290. fresh-water, utility of nets in investigations, Ricker, W. E., 292-303.

Planting in rapid waters preferable to pools (disc.), 139.

Plants, aquatic, and fish, as affected by sunlight, Olson, Theodore A., 278-290. Pollution of Potomac, Mississippi and other waters, Locke, S. B., 355-361. of waters and waste of nitrates, Field, George W., 369-370. Ponds, experimental, fertilization of water, Smith, M. W., 317-322. Pools, circular, observations on plantings of fingerling trout, Surber, E. W.,

and Aikens, E. L., 133-140.

Pound net versus deep water trap net, Westerman, Fred A., 64-65.

Predators, of trout eggs, Greeley, John R., 239-248. Presidents' terms of service and places of meeting, 5-6.

Protection and legislation, report vice-president division of, Denmead, Talbott, 26-31

of crabs in the Chesapeake, Earle, Swepson, 46.

Pumps versus nets and traps in obtaining plankton samples, Ricker, W. E., 292-293.

Quebec (see also Tadoussac, Baldwin's Mills, Gaspe, Magog), fishing laws, Watt, A. M., 384-385.

Redds of trout: see Trout, spawning habits.

Resolutions, 33-38.

Respiration of brook trout fingerlings as affected by water temperature, M'Gonigle, R. H., 120-124.

Rocky Mountain whitefish, furunculosis, Duff, D. C. B., 252.

Russia, Lakes Ladoga, Onega, and Svir River, biology of salmonid and coregonid fishes of. Abstract of papers in Bulletin of the Leningrad Institute of Ichthyology, 394-395.

"Rybovodstvo" fish culture, its scientific foundations and practice, Grim, O. A., abstract of textbook containing all up to date scientific data

on hydrobiology, 397-398.

Sacandaga Reservoir, adaptability of minnows in, Moore, Emmeline, 290-291. Salmon (see also Spring salmon, Pink salmon, Sockeye), Atlantic, ocean feeding grounds, Belding, David L., and Hyde, Doris M., 304-306.

eggs, as food for fish (disc.), 193.
freshwater, culture in Quebec, Taylor, B. W., 227.
Salmo salar of the St. Lawrence River, Follett, Richard, 366-368.
Pacific (Oncorhynchus), furunculosis, Duff, D. C. B., 253.
parr, early growth in Canadian hatcheries, Belding, David L., Pender, Mildred J., and Rodd, James A., 211-223. sockeye, artificial food rations for, Foerster, R. E., 228-238.

tagging programs, in relation to conservation, Pritchard, A. L., 88-93.

Salmonidae in Russian waters, biology, Abstract of paper in Bulletin of the Leningrad Institute of Ichthyology, 394-395.

Scales, of salmon, first appearance, Belding, David L., Pender, Mildred J., and Rodd, James A., 223.

Scallop fishery in Massachusetts, menaced by starfish, Kenney, Raymond J., 76-79.

Selective breeding in trout, Hayford, Charles O., 126-132.

Sewage disposal in Germany (disc.), 361-362.

Sexual characters, secondary, in the minnow, Wynne-Edwards, V. C., 382-383.

Shad transportation (disc.), 277.

Shellfish industries, as influenced by quick-freezing, Birdseye, Clarence, 80-83.

Shrimp statistics, importance of precise, Gowanloch, James N., 111-113. (Penaeus setiferus) of South Atlantic and Gulf Coasts of U. S. A., life history, Weymouth, Frank W., Lindner, Milton J., and Anderson, W. W., 108-110. Smelt (O. mordax) depth distribution in New York Lakes, Odell, Theodore T., 331-334.

spread in the Great Lakes, Van Oosten, John, 100.

Smith Falls Hatchery (British Columbia), artificial food rations for sockeye salmon studied, Foerster, R. E., 228-238.

Sockeye salmon (see also Salmon, sockeye), migration records, Pritchard, A. L., 92-93.

Solomons Island (see also Chesapeake Biological Laboratory), oyster planting, Truitt, R. V., 52-53.

Spat collectors (disc.), 75.

Spawn, number of, in various fish, tabulated, Bajkov, A. D., 314.

Spawning activities of brook trout, Hazzard, A. S., 344-345.

habits of brook, brown, and rainbow trout, and the problem of egg predators, Greeley, John R., 239-248. of pike in Waskesiu Lake, Saskatchewan, Rawson, D. S., 323-330.

Spring salmon (Oncorhynchus tschawytscha), migration records, Pritchard,

A. L., 90-91. Starfish as menace to Massachusetts shell fish grounds, life history, Kenney, Raymond J., 76-79.

Statistics of catches on the West Coast, comments on various systems, Scofield, W. L., 94-99.

Stream improvement in New England, Dinsmore, A. H., 141.

Struven, Charles M.: In Memoriam, 40.

Suckers (C. catostomus) depth distribution in New York Lakes, Odell, Theodore T., 331-334.

(Catostomus commersonii) as egg eaters, Greeley, John R., 246.

Sunfish surviving prolonged exposure to high concentrations of dissolved oxygen, Wiebe, A. H., and McGavock, Alfred M., 267-270.

Sunlight, as affecting aquatic plant life and fishes, Olson, Theodore A., 278-290

destructive to furunculosis bacteria (disc.), 131-132.

"Swedish Savings-trawl" impracticable for American fishery, Herrington, William C., 60. Tadoussac (Quebec) salmon hatchery, cultural activities, Taylor, B. W.,

224-227.

Tagging of salmon, in British Columbia, Pritchard, A. L., 88-93.

Temperature as affecting food consumption in largemouth bass, Markus, Henry C., 202-210.

as affecting growth of salmon in yolk sac period, Belding, David L., Pender, Mildred J., and Rodd, James A., 221-223. as affecting physiology of trout and carp, M'Gonigle, R. H., 119-125. below water surface, hydrographic bottle to obtain, 342-343.

Titcomb, John W., commemoration of, by Committee on Resolutions, 33-34. In Memoriam, 40.

Titcomb and Embody, work on effect of temperature on brook trout discussed, M'Gonigle, R. H., 122-123.

Transportation of fish, improved methods, Cook, A. B., Jr., 181-183.

Trap nets (see also Deep water trap net). on Lake Erie, experiments with size of mesh, Van Oosten, John, 101-107.

Traps versus nets and pumps in obtaining plankton samples, Ricker, W. E.,

Trawling gear, Herrington, William C., 57-62. Treasurer's report, 1931-1932, Gordon, Seth, 16-19. Trout, brook, brown, and rainbow, spawning habits and the problem of egg

predators, Greeley, John R., 239-248.
brook, fingerlings as affected by temperature, M'Gonigle, R. H., 120.
brook (Sal velinus fontinalis), life-history phases, Hazzard, A. S., 344-350.
brook, observations on plantings from circular pools, Surber, E. W., and Aikens, E. L., 133-140.

brook, quick freezing of (disc.), 83.
brown (Salmo fario) as egg predator, Greeley, John R., 246-247.
brown, observations on plantings from circular pools, Surber, E. W., and
Aikens, E. L., 133-140.

eggs (see also Eggs of trout) and fry, acriflavine effective prophylactic in bacterial disease, Atkinson, N. J., 152-155.
excrement for Daphnia culture, Hayford, Charles O., 167-170.

female, held for life more profitable than raising eggs from younger fish, Dinsmore, A. H., 141.

fingerlings, best artificial methods for producing, Sklower, U. Abstract of paper in Allgemeine Fischerei Zeitung, 391-392. furunculosis, Duff, D. C. B., 249-255. prolonged exposure to high concentrations of dissolved oxygen, surviving from, Wiebe, A. H., and McGavock, Alfred M., 270-272.

propagation in the Kamloops District, British Columbia, 144-151.

rainbow (Salmo gairdnerii irideus), as egg predator, Greeley, John R., 247. rainbow, stocking in barren lakes, Atkinson, N. J., 197-201. raising in the New Jersey State fish hatchery, Hayford, Charles O., 126-132.

rainbow, observations on plantings from circular pools, Surber, E. W., and Aikens, E. L., 133-140.

rearing, value of various foods in (disc.), 192-196.

relation between temperature and oxygen requirements, Haempel's table,

spawning habits and the problem of egg predators, Greeley, John R., 239-248.

speckled (S. fontinalis), depth distribution in New York Lakes, Odell, Theodore T., 332-334.

use of dry foods in diet of, Davis, H. S., 189-192.

Tuberculosis in fish from tubercular mammal liver theoretically possible (disc.), 131.

Virginia natural oyster beds, Prytherch, Herbert F., 73.

Virginia and Maryland cooperating for protection of crabs and fish in Chesapeake, Earle, Swepson, 45-48.

Vitamin content in frozen foods (disc.), 83. Waskesiu Lake, Saskatchewan, pike spawning in, Rawson, D. C., 323-330.

Water biology, various aspects as panacea for national problems, Field, George W., 369-376.

Waters for stocking, proposed methods of grading, Belding, David L., 256-257.

Whirligig beetles killed with kerosene, Langlois, T. H., 165.

Whitefish (C. clupeaformis), depth distribution in New York Lakes, Odell, Theodore T., 331-334.
depletion in Lake Michigan due to trap nets, Westerman, Fred A., 66-67.

Whiteside, R. P.: In Memoriam, 40. Yellow perch unsuited to the waters of southern Ohio, Trautman, Milton B., 259.

Yolk sac period, in salmon, analysed, Belding, David L., Pender, Mildred J.,

and Rodd, James A., 215-221. Yugoslavia, exploitation of ponds, Rossler. Abstract of paper in Bulletin Français de Pisciculture, 394.

PART II. AUTHOR INDEX

Aikens, E. L., joint author: see Surber, E. W.

Anderson, W. W., joint author: see Weymouth, Frank W., and others.

Armstrong, Richard: Chesapeake Bay fisheries (disc.), 48-49.

Atkinson, N. J.: Bacterial disease of trout eggs and fry, 152-155.

Atkinson, N. J.: Bacterial disease of trout eggs and try, 152-155.

Atkinson, N. J.: Stocking barren lakes with rainbow trout, 197-201.

Bajkov, A. D.: Fish population and productivity of lakes, 307-316.

Bajkov, Alexander: Native game fish in Manitoba, 377-379.

Belding, David L.: Growth of fish, proposed method of recording, 256-257.

Belding, David L., and Hyde, Doris M.: Ocean feeding grounds of Atlantic salmon, 304-306.

Belding, David L., Pender, Mildred J., and Rodd, James A.: Early growth of salmon parr in Canadian hatcheries, 211-223.

Berg, K.: Cladocera anatomy, taxonomy, method of reproduction, food and propagation. Abstract of paper in Bulletin Francais de Pisciculture, 394.

Birdseye, Clarence: Influence of quick-freezing on shellfish industries, 80-83.

Birdseye: Otter-trawling waste of edible fish (disc.), 63.

Borodin, N. A.: Author of abstracts in Appendix, 391-398. Borodin, N. A.: Experiments in anabiosis of fish. 340-341.

Carie: Acclimatization of Lebistes reticulatus. Abstract of paper in Bulletin de la Société Centrale d'Aquiculture et de Pêche, 395-396.

Clemens, W. A.: Fish culture in Canada, aim of research in, 261-266.

Cobb, Eben W.: Improved equipment for lobster rearing, 84-87.

Cobb. Eben W.: Report of acting librarian, 19-20.

Cook, A. B., Jr.: Mechanical devices used in Michigan fish culture, 179-184.

Culler, C. F.: Fish culture, progress in, 114-118.

Davis, H. S., Trout, use of dry foods in diet of, 189-192.

Denmead, Talbott: Protection and legislation, report vice-president division of, 26-31.

Dinsmore, A. H.: York Pond investigations, 141-143.

Duff, D. C. B.: Furunculosis on the Pacific Coast, 249-255.

Dwyer, J. N.: Hydrographic bottle for fisheries survey, 342-343.

Earle, Swepson: Fisheries of Chesapeake Bay, 43-49.

Field, George W.: Biology as the panacea for some national problems, 369-376.

Foerster, R. S.: Artificial food rations for sockeye salmon, 228-238.

Follett, Richard: Salmo salar of the St. Lawrence River, 366-368.

Follett: Sweet milk curdled with rennet found good in raising trout year-lings (disc.), 194.

Gandolfi, A.: Eel measurements in early stages and post-larval development. Abstract of paper in Bulletin de la Société Centrale d'Aquiculutre et de Pêche, 395.

Gorden, Seth: Report of the secretary-treasurer for 1931-32, 16-19.

Gowanloch, James Nelson: Hydrographic studies in Louisiana, 336-339.

Gowanloch, James N.: Shrimp statistics, practical importance of securing precise, 111-113.

Greeley, John R.: Spawning habits of trout and the problem of egg predators, 239-248.

Grim, O. A.: "Rybovodstvo" fish culture, its scientific foundations and practice. Abstract of book, 397-398.

Harrison, C. W.: Passing fish over high dams, suggested method, 386-388. Hayford, Charles O.: Economic bass culture in trout wintering ponds, 167-170.

Hazzard, A. S., Spawning, fertilization and growth of brook trout, 344-350. Hyde, Doris M., joint author: see Belding, David L.

Hayford, Charles O.: Trout raising in the New Jersey State fish hatchery, 126-132.

Herrington, William C.: Conservation of immature fish in otter trawling, 57-63.

Howland, Joe W.: Bass, propagation of spotted black, 185-188.

Hubbs, Carl L.: Grayling, Michigan, Montana and Arctic, differences (disc.), 178.

Italy, Ministry of Agriculture: Italian fisheries and fish culture. 3 volumes.
Abstract, 396-397.

Kenney, Raymond J.: Starfish on Massachusetts shellfish grounds combatted, 76-79.

Langlois, T. H.: Problems of pond fish culture, 156-166.

Lindner, Milton J., joint author: see Weymouth, Frank W., and others. Locke, S. B.: Developments in the clean streams campaign, 355-361.

Lord, Russell F.: Montana graylings, 171-178.

Lubbert: New installation for catching and distributing eel-fry. Abstract of paper in Allgemeine Fischerei Zeitung, 392.

Markus, Henry C.: Temperature as affecting food consumption in largemouth bass, 202-210.

McGavock, Alfred M.: Daphnia culture, methods (disc.), 168-170.

McGavock, Alfred M., joint author: see Wiebe, A. H.

M'Gonigle, R. H.: Temperature as affecting fish culture, 119-125.

Metzner and Rohler: Chemical composition and relative amounts of edible matter and offal of freshwater fish. Abstract of paper in Allgemeine Fischerei Zeitung, 392.

Miller, Raymond: Black bass protection, 363-365.

Moore, Emmeline, Adaptability of minnows to impounded waters, 290-291.

Mottley, C. McC.: Trout propagation in the Kamloops district, British Col-

umbia, 144-151.

Odell, Theodore T.: Distribution in depth of fish in New York Lakes, 331-334.

Olson, Theodore A.: Interrelationships of sunlight, aquatic plant life and

fishes, 278-290.

O'Malley, Henry: American Fisheries Society and the fisheries, 351-354.

Pender, Mildred J., joint author: see Belding, David L. and others.

Pritchard, A. L.: Relation of tagging to salmon conservation, 88-93.

Prytherch, Herbert F.: Scientific methods of oyster farming, 72-75.

Rawson, D. S.: Pike of Waskesiu Lake, Saskatchewan, 323-330.

Ricker, W. E.: Utility of nets in fresh-water plankton investigations, 292-303. Rodd, James A., joint author: see Belding, David L. and others.

Rohler, joint author: see Metzner.

Rossler: Exploitation of Yugoslavian ponds. Abstract of paper in Bulletin Français de Pisciculture, 394.

Scofield, W. L.: Comments on fisheries statistics collected in California, 94-99.

- Scofield, N. B.: Commercial fishing, report division of, 32-33.
- Sklower, U.: How to produce best trout fingerlings by artificial methods.

 Abstract of paper in Allgemeine Fischerei Zeitung, 391-392.
- Smith, M. W.: Fertilization of water in experimental ponds, 317-322.
- Snyder, J. P.: Smallmouth black bass tagged in Lake Ontario, 380-381.
- Surber, E. W. and Aikens, E. L.: Observations on plantings of trout finger-lings from circular pools, 133-140.
- Taylor, B. W.: Quebec fish cultural activities, 224-227.
- Trautman, Milton B.: Stocking policy for Ohio, value of scientific data, 258-260.
- Truitt, R. V.: Scientific fisheries work in Maryland, 50-56.
- Van Oosten, John: Experiments on mesh of trapnets and Lake Erie legislation, 100-107.
- Vouga, M.: Artificial fertilization methods. Abstract of paper in Bulletin Francais de Pisciculture, 392-394.
- Watt, A. M.: Quebec fishing laws, 384-385.
- Westerman, Fred A.: Deep water trap net in relation to Great Lakes fisheries, 64-71.
- Weymouth, Frank W., Lindner, Milton J., and Anderson, W. W.: Summary of life history of Pinaeus setiferus in South Atlantic and Gulf Coasts, 108-110.
- Wickliff, E. L.: Are newly impounded waters in Ohio suitable for fish? 275-277.
- Wiebe, A. H., and McGavock, Alfred M.: Survival of certain fish on prolonged exposure to high concentrations of dissolved oxygen, 267-274.
- Wynne-Edwards, V. C.: Pimephales promelas Raf. breeding habits, 382-383.